IJIRIS: International Journal of Innovative Research in Information Security
Volume 09, Issue 03, June 2023
E-ISSN: 2349-7017
P-ISSN: 2349-7009
https://www.ijiris.com/archives

Smart Self Monitoring Eco Friendly EV Charging Station

Lakshmi
Assistant Professor/EEE
Sri Sairam College of Engineering, Anekal, Bengaluru
lakshmik.eee@sairamce.edu.in
Malini K V
Assistant Professor/EEE
Sri Sairam College of Engineering, Anekal, Bengaluru
malini.eee@sairamce.edu.in
Likitha N E,Basavaraj M,Vanfana K,Varun Gowda MM
Student / EEE
Sri Sairam College of Engineering, Anekal, Bengaluru
sce19ee006@sairamtap.edu.in, sce19ee014@sairamtap.edu.in
sce19ee001@sairamtap.edu.in,sce19ee009@sairamtap.edu.in

Publication History
Manuscript Reference No: IJIRIS/RS/Vol.09/Issue03/JNIS10111
Research Article | Open Access | Double-blind Peer-reviewed |Article ID: IJIRIS/RS/Vol.09/Issue03/JNIS10111
Received: 02, June 2023 | Accepted: 20, June 2023 | Published: 23, June 2023
Volume 2023 | Article ID JNIS10111 http://www.ijiris.com/volumes/Vol09/iss-03/32.JNIS10111.pdf
ArticleCitation: Karthika(2023).Construction private cloud storage using Network attached Storage. International Journal of Innovative Research in Information Security (IJIRIS), 10, 229-233
doi: https://doi.org/10.26562/ijiris.2023.v0903.32
BibTex key: **Lakshmi2023Smart**

Copyright: ©2023 This is an open access article distributed under the terms of the Creative Commons Attribution License; which Permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Abstract: Due to their low expenses for operation and commitment to the environment, electric cars (EVs) are growing in popularity. However, the inadequate charging infrastructure limits their popularity. To keep their vehicles always ready for use, EV owners need access to convenient and dependable charging stations. Thus, promoting the adoption of EVs requires the installation of electric charging stations. A specialized infrastructure called an electric charging station iscreated to supply electricity to electric vehicles. Itis made up of a unit for charging, one for distributing power, and one for communicating. The charging unit is in charge of feeding electricity from the grid to an electric vehicle's battery. The electric car receives power from the chargingunit through the power distribution unit. To makesure that the charging process is secure, dependable, and effective, the communication unit is in charge of maintaining communication between the charging station and the electric car. There are two categories of electric charging stations: DC rapid charging stations and AC charging stations. While DC fast charging stationsoffer a faster charging rate of up to 350 kW, AC charging stations offer a slower rate of up to 22 kW. Although installing DC fast charging stationscosts more money, they are essential for long- distance travel and in places where there is a highdemand for quick charging.
Keywords - DC, DC fast charging station, ACCharging station, Power distribution station.

I. INTRODUCTION

Electric vehicles (EVs), a cleaner alternative to gasoline-powered vehicles, are becoming more and more popular as a result of increased environmental concern. However, a deficient infrastructure for charging EVs is impeding their widespread adoption. Installing electric charging stations is a crucial step in the adoption of clean transportation since they are crucial in providing EVs with a convenient and dependable source of power. One of the main producers of the greenhouse gases thatcause climate change is the transportation industry. Thedevelopment of electric vehicles (EVs) as a cleaner alternative to gasoline-powered vehicles is a result of the desire to minimize greenhouse gas emissions. Due to their lower operating costs, diminished environmental impact, and greater accessibility to charging infrastructure, EVs are becoming more and more popular. However, the lack of a sufficient charging infrastructure hinders the adoption of EVs. Installing electric charging stations is a crucial step in the adoption of clean transportation since they are crucial in providing EVs with a convenient and dependable source of power. The benefits of electric charging stations are numerous. One of the most significant benefits isthe reduction in greenhouse gas emissions. The use of electric vehicles powered by clean energy can significantly reduce the environmental impactof transportation. Additionally, electric charging stations reduce the operating costs of electric vehicles, as electricity is cheaper than gasoline. This makes electric vehicles a more affordable option for consumers, leading to increased adoption rates. Moreover, electric charging stations provide new business opportunities for entrepreneurs in the energy sector.

With more nations planning to switch to electric vehicles, the future of electric charging stations appears bright. Governments all over the world are promoting the use of electric vehicles and thebuilding of electric charging stations by offering incentives. To enable smooth cross-border travel for EVs, the European Union has established goals for the construction of electric chargingstations. The building of electric charging stationswill become increasingly more essential in addressing this requirement as the demand for electric vehicles grows.

II. WORKING OF ELECTRICALCHARGING STATION

An electrical charging station, also known as an electric vehicle (EV) charging station or an EVSE (Electric Vehicle Supply Equipment), is a facility that enables the charging of electric vehicles. These stations are essential for the widespread adoption and use of electric vehicles. The working of an electrical charging station involves several components and processes. Firstly, the station is connected to the power gridto receive electricity. The power is typically supplied through a high-capacity connection to ensure fast charging times.



Figure.1 Block Diagram

The charging station communicates with the vehicle to determine the charging parameters and initiate the charging process. This communication is usually done through protocols such as SAE J1772 or CHAdeMO, depending on the vehicle and charging station compatibility. The charging station then supplies the appropriate electric current and voltage to the vehicle's battery pack. The charging process can be classified into different levels: Level 1 charging uses a standard household outlet, Level 2 charging utilizes higher power charging equipment, and Level 3 (also knownas DC fast charging) provides the fastest charging speeds. During the charging process, the station monitors thebattery's state of charge and adjusts the chargingparameters accordingly. Once the battery reaches its desired state of charge or the charging session is manually stopped, the charging station ceases supplying power to the vehicle. The charging station may also include additionalfeatures such as payment systems, RFIDauthentication, and data monitoring capabilities to track charging usage and facilitate billing.

III. SOLAR PANELS

A charging station for electric vehicles (EVs) thatincludes solar panels is becoming more and morecommon. The charging station may operate off the gridand rely less on conventional energy sources by receiving sustainable and renewable energy from solarpanels. The advantages and difficulties of integrating solar panels into EV charging stations will be coveredin this article. The reduction in carbon emissions is oneof the main advantages of putting solar panels at an EVcharging station. Carbon dioxide and other greenhousegases are significantly reduced from being dischargedinto the atmosphere by using solar energy to power thecharging station. The environment may benefit from this, particularly if more charging stations eventually use this technique. The ability to lower operational expenses is another advantage of installing solar panels at EV charging stations. Solar energy can offera more affordable and environmentally friendlyalternative to existing sources of electricity, which are becoming more and more expensive. Solar panels can also aid in reducing reliance on the electrical grid, particularly during times of high electricitydemand. Solar panels on EV charging stations can provide some difficulties, though. Theexpense of installation is a significant obstacle. Solar panels can reduce costs over time, but their initial installation and purchase costs can be fairly significant. Additionally, not allgeographic regions may be suitable for solarpanels, and some places might not get enough sunlight to make solar energy economically viable.

Figure.2 Solar panels

How does Solar Panels Work in EV Charging Stations?

Solar panels are positioned close to the EV charging station or on the roof. The solar panels' DC electricity is transformed into AC electricity via an inverter that is attached to them. The EV charging station is then poweredby this electricity. The power from the solar panels is utilized to recharge the battery of an electric vehicle when it is plugged into thecharging station. The extra energy from the solar panels is put back into the grid for later usage if it is produced in excess of what is required for charging.

IV. WORKING OF THE CONTROLLER

An electrical device called a controller is used inEV (Electric Vehicle) charging stations tomanage and control the charging of an electric vehicle. It is in charge of making sure the electric car is charged effectively and safely. A charging cable connects the controller, which is normally found inside the charging station, to the electric car. To control the charging current, voltage, and power supply, it communicates with the vehicle's on-board charger. The controller also keeps an eye on the charging procedure, looking for any anomalies or potential errors. To avoid harm to the car or the charging station, the controller has the ability to halt the charging process if a defect is found. The controller may regulate the charging process and also provide information about the charging session, such as the amount of energy used, the charging time, and the charging speed. Both the driver and the person running the charging station may find this information beneficial.

Fig.3 Controller

The controller is connected to various sensors and communication systems within the charging station. It receives input from these sensors to monitor the status of the charging equipment, the power grid, and the connected electric vehicle. This information includes factors such as voltage levels, current flow, temperature, and communication signals. Based on the received data, the controller makes decisions and controls the charging process. It determines the appropriate charging parameters for the connected electric vehicle, such as charging current and voltage, based on the vehicle's capabilities and the charging station's capabilities. The controller ensures that the charging parameters are within safe limits to avoid damage to the vehicle's battery or the charging infrastructure. Furthermore, the controller manages the flow of electricity from the power grid to the electric vehicle. It regulates the power supply, controlling the charging current and voltage levels to ensure a stable and efficient charging process. The controller can also implement various charging profiles or protocols, suchas Level 1, Level 2, or Level 3 charging, depending on the capabilities of the charging station and the connected vehicle.

V. WORKING OF THE BATTERY

The battery system in an electric vehicle (EV) charging station serves multiple purposes to facilitate efficient and reliable charging processes. It ensures a stable power supply, manages energy flow, and provides backup power if needed.

Fig.4 Battery

The primary function of the battery in an EV charging station is to store electrical energy. Thisenergy can be obtained from the power gridduring periods of low demand or from renewableenergy sources like solar panels and wind turbines. The battery stores the excess energy, which can be later used to charge electric vehicles when demand is high or during peak hours.

The battery system also plays a crucial role in managing energy flow. It acts as a buffer between the power grid and the charging station,regulating the flow of electricity. By drawing power from the grid at a constant rate and supplying it to the charging station as required, the battery helps stabilize the grid and avoids sudden surges or drops in power demand. Furthermore, the battery system provides backuppower to the charging station during power outages or in areas with unstable grid supply. This ensures uninterrupted charging services andallows EV owners to charge their vehicles even in adverse conditions. The battery is equipped with sophisticated monitoring and control systems to optimize its performance and lifespan. It tracks the state of charge, temperature, and other parameters to ensure safe and efficient operation. These systems also enable remote monitoring and control ofthe battery, allowing operators to manage and maintainthe charging station effectively.

VI. METHODOLOGY

The methodology for setting up an electric vehicle(EV) charging station can vary depending on severalfactors, including the type of charging station, location, power requirements, and local regulations. There are different types of charging stations,including Level 1, Level 2, and DC fast chargers.Level 1 chargers use a standard household outlet andprovide the slowest charging speed, while Level 2chargers require a dedicated circuit and offer fastercharging. DC fast chargers are the quickest but are more expensive and require higher power infrastructure. Evaluate the power supply available at the intended location for the charging station. Determine if it can meet the requirements of the chosen charging station type. If necessary, consult an electrician or electrical engineer to assess the electrical infrastructure and make any necessary upgrades or installations. Once the charging station istested and operational, promote its availability to potential users and officially launch it. Develop a maintenance plan to regularly inspect and maintain the charging equipment, including cleaning, troubleshooting, and repair activities. Continuously monitor the charging station's usage, performance, and user feedback. Based on the gathered data, makenecessary adjustments to improve user experience, optimize operations, and expand capacity if required.

A. EV CHARGING STATIONSPECIFICATIONS

Type	Specification
Connector	60W,4A,12V
Solar Panels	400W, 24V
Battery	18Ah,12V
Voltage controller	50KVA
Current controller	4W, 5A
LCD	16*2

B. HARDWARE ANDSOFTWARE REQUIREMENTS

Power source	Solar panels
Charging cable	GIFC
LCD Display	Keyboard, Monitor andMouse
OS	Windows
Connector	Combined charging system

VII. CONCLUSION

Due to their low cost and low environmentalimpact, electric cars (EVs) are becoming more and more popular. However, the development of a reliable and accessible EV charging infrastructure is crucial for the wide adoption of EVs. In this sense, the creation of EV charging stations is essential. The significance of EV charging stations, their types, and the difficulties encountered in installing them will all be coveredin this essay. We'll also look at how EV chargingstations might develop in the future. An important amount of the world's greenhouse gas emissions are caused by the transportation industry. EV usage is growing, which can lessen carbon emissions and slow down climate change.However, there needs to be a sufficient charging infrastructure in place for EVs to be a practical replacement for conventional vehicles. In this regard, EV charging facilities are essential. They offer EV users a quick and dependable option to charge their cars. EV charging stations are advantageous for the environment as well as EV owners. They lessen greenhouse gas emissions and air pollution, two major causes of global warming. We can promote more people to transition to EVs by offering EV drivers a dependable and accessible charging infrastructure.

VIII. REFERENCES

[1]. Wireless Communication Using HC-05 Bluetooth Module Interface with Arduino, ISSN: 2278 – 7798, International Journal of Science, Engineering and Technology Research (IJSETR) Volume 5, Issue 4,April 2016.
[2]. Development of rapid charging system for EV battery, International Journal of Recent Technology and Engineering (IJRTE), ISSN: 2277-3878, Volume-7, Issue-6S, March 2019.
[3]. Review on Electric Vehicle, Battery Charger, Charging Station and Standards Research Journal of Applied Sciences, Engineering and Technology 7(2): 364-373, 2014 DOI:10.19026/rjaset.7.263 ISSN: 2040- 7459; eISSN: 2040-7467 © 2014 Maxwell Scientific Publication Corp.

[4]. Real-Time Vehicle Tracking System Using Arduino, GPS, GSM, and Web-Based Technologies, International Journal of Science and EngineeringApplications Volume 7–Issue 11,433-436, 2018, ISSN: -2319–7560.
[5]. Real-Time Vehicle Tracking System Using Arduino, GPS, GSM, and Web-Based Technologies, International Journal of Science and EngineeringApplications Volume 7–Issue 11,433-436, 2018, ISSN: -2319–7560.
[6]. Electric Vehicles Charging Technology Review and Optimal Size Estimation, Journal of Electrical Engineering & Technology (2020) 15:2539–2552
[7]. Suarez, Camilo & Martinez, Wilmar. (2019). Fast and Ultra-Fast Charging for Battery Electric Vehicles -A Review. 10.1109/ECCE.2019.8912594.
[8]. Design and Implementation of a 12VAutomatic Battery Charger
[9]. International Journal of Scientific Engineering andResearch (IJSER) ISSN (Online): 2347-387