

# Network Slicing in 5G Systems: Challenges, Opportunities and Implementation Approaches

Yamini Kannan  
Information Systems,  
New York University,  
New York, United States  
[Yk2504@nyu.edu](mailto:Yk2504@nyu.edu)



## Publication History

**Manuscript Reference No:** IJIRIS/RS/Vol.10/Issue02/FBIS10081

Research Article | Open Access | Double-Blind Peer-Reviewed | Article ID: IJIRIS/RS/Vol.10/Issue02/FBIS10081

Received: 28, January 2024 | Revised: 03, February 2024 | Accepted: 09, February 2024 | Published Online: 29, February 2024  
Volume 2024 | Article ID FBIS10081

<http://www.ijiris.com/volumes/Vol10/iss-02/02.FBIS10081.pdf>

**Article Citation:** Yamini(2024). Network Slicing in 5G Systems: Challenges, Opportunities and Implementation Approaches. International Journal of Innovative Research in Information Security (IJIRIS), Vol.10, Issue 02, 51-56

**doi:** <https://doi.org/10.26562/ijiris.2023.v1002.02>

**BibTex key:** Yamini@2024Network



Copyright: ©2024 This is an open access article distributed under the terms of the Creative Commons Attribution License; which Permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

**Abstract:** The introduction of the fifth-generation (5G) of network technology has radically transformed the telecommunications landscape by providing high-speed, low-latency communication suitable for a range of innovative applications. However, this transformation also introduces novel network complexity and resource management challenges. An emerging solution to these formidable challenges is 'Network Slicing,' a powerful technology that plays a crux role in the efficient management of 5G network systems. Network slicing, enabled by key technologies such as Software-Defined Networking (SDN) and Network Function Virtualization (NFV), allows the creation of multiple virtual and independent networks operating on a shared physical infrastructure. This ability contributes to a more flexible, scalable, and efficient network system, making it aptly suited for diverse 5G applications. In this paper, we conduct an in-depth examination of network slicing in 5G systems, its implementation strategies, associated challenges, and potential solutions. Two real-world case studies underline its practical applications, while a discussion on the future outlook anticipates advances in AI and ML to refine network slicing management. The paper posits that while network slicing brings its own set of complexities, its continuous evolution and relentless innovations gear towards overcoming such challenges, paving the way to a future of 5G networking marked by versatility, reliability, and efficiency of unprecedented levels.

**Keywords:** 5G Networks, Network Slicing, Software-Defined Networking (SDN), Network Function Virtualization (NFV), QoS Requirements, Network Management, Resource Allocation, Network Security, Inter-Slice Performance, Multi-domain Orchestration, AI/ML, Network Management

## I. INTRODUCTION

The fifth-generation (5G) of network technology has radically altered the landscape of telecommunications. It has transcended the capabilities of its predecessors to open up a myriad of opportunities for high-speed, low-latency communication suitable for a range of cutting-edge applications. This leap, however, brings with it a new level of network complexity and resource management challenges. Among the solutions to these challenges, the concept of 'Network Slicing' has emerged as a particularly compelling one, poised to play a pivotal role in the efficient management of 5G network systems [2]. Network Slicing refers to the process of creating multiple virtual and independent logical networks on top of a common physical infrastructure [2].

A key turning point from the traditional network design, Network Slicing presents a shift towards a more flexible, scalable, and efficient network system built for the diverse needs of the 5G era. The underlying principle of Network Slicing hinges on the application of network virtualization technologies, such as Software-Defined Networking (SDN) and Network Function Virtualization (NFV). Leveraging these approaches, each slice within a network can have its dedicated bandwidth, device CPU, network topology, and storage capacity, among others, effectively creating a 'slice' uniquely suited to specific end-to-end Quality of Service (QoS) requirements. However, to appreciate the transformative potential of Network Slicing in 5G networks, it's essential to delve into its architectural layers. A network slice comprises three core layers: the Service Instance Layer, which hosts the specific end-user services or applications; the Network Slice Instance Layer, signifying a collection of resources to form a network slice; and the Resource Layer, consisting of different subnetwork instances that provide the required network, computation, and storage resources [2]. Flexibility in the creation and utilization of these network slices is another hallmark feature of this approach.

Network slices can be dynamically created, reconfigured, and decommissioned based on the evolving network demands, ensuring efficient resource allocation at all times. In this paper, we take a close look at the role of Network Slicing in 5G systems, exploring its implementation approaches, and examining the challenges and potential solutions in its deployment. As we navigate through this journey, the nuances of Network Slicing and its impact on formulating a more community-responsive, resilient, and reliable 5G network system will unfold.

## II. UNDERSTANDING THE MECHANISM OF NETWORK SLICING

Network slicing lies at the heart of the revolutionary 5G network systems, shaping a new paradigm that redefines how network resources are managed and allocated. The fundamental mechanism of network slicing revolves around the concept of creating multiple independent and logically separate networks on top of a shared physical infrastructure [3]. Each of these virtual networks, also known as network slices, is an isolated subset of the available resources comprising computation, networking, and storage [2]. As such, every slice is an autonomous entity, tailored to meet specific Quality of Service (QoS) requirements for a certain set of applications or services. A network slice represents an end-to-end network which is dynamically instantiated and can perform network functions logically from the core to the edge of the network. This introduces a significant enhancement to flexibility as network slices can be dynamically created, reconfigured, and decommissioned as per the evolving needs of the network or its users [3]. Each slice essentially comprises three key layers:

- **Service Instance Layer:** Hosts the specific services or applications intended for the end-users.
- **Network Slice Instance Layer:** Denotes a collection of network, computation, and storage resources crafted to form a network slice.
- **Resource Layer:** Homes the different sub-network instances which comprise network, computation, and storage resources. The concept of network slicing is enabled and fuelled by two significant technological advances, Software-Defined Networking (SDN) and Network Function Virtualization (NFV), acting as the pillars for network slicing.




Figure 1: Layers involved in Network Slicing

### A. Software-Defined Networking (SDN)

Software-defined Networking (SDN) emerges as a transformative technology that decouples the control and data planes from network devices, placing them into distinct entities. This distinct separation is what grants SDN its nuanced edge, deviating from the traditional networking approach where both the control and data plane reside in the same network device. In doing so, it fosters flexibility, scalability, and programmability in network operations. The core components of an SDN architecture are the SDN Controller and the Network Equipment. The former is the brain of the network that houses the control plane and makes centralized, intelligent decisions regarding the network's operations. The latter comprises the actual network devices, switches, and routers that execute the decisions made by the controller; it represents the data plane in the architecture. Communication between these components is facilitated by a standardized interface known as the Southbound API, often realized using the OpenFlow protocol [4]. The SDN controller sends instructions to the network devices using this interface, effectively turning them into simple packet forwarding devices that operate based on these instructions. SDN also has a Northbound API interface which exposes the network's capabilities and statistics to higher-level applications and orchestration tools [4].

This allows for easy network programming, automation, and faster service roll-out as applications can configure networks based on their specific requirements without any manual intervention. In the context of network slicing for 5G systems, SDN plays a crucial role in managing and orchestrating network resources effectively. It enables dynamic creation and allocation of network slices based on real-time network conditions and user needs. By providing an abstracted, centralized view of the whole network, SDN allows for network slices to be created, modified, and controlled across various network devices efficiently and consistently.




Figure 2: SDN Network Architecture

DN can also facilitate End-to-End (E2E) network slice management in 5G systems [4]. It enables the orchestration of network slices that span across multiple technological domains (i.e., core network, transport network, and access network), providing E2E network slice connectivity and ensuring consistent QoS across the slice.

### B. Network Function Virtualization (NFV)

Network Function Virtualization (NFV) embodies a crucial evolution in network architecture that leverages IT virtualization technologies to virtualize network node functions. Instead of dedicated hardware appliances, NFV enables the deployment of network functions as software applications on standard server platforms. Definition and Purpose - NFV is an architectural concept that allows different network functions, traditionally executed by dedicated hardware devices, to be hosted on generic servers as software applications [4]. The main driver for NFV is the cost-effectiveness compared to utilizing specialized hardware. By using standard server hardware, functionality such as load balancers, firewalls, and other network appliances can be implemented as software, which can be scaled or migrated as needed based on network demands. The goals of NFV are twofold:

- **Increase flexibility:** NFV allows for dynamic deployment, expansion, and decommission of network functions based on demand. This enhances the agility and adaptability of the network, enabling it to efficiently cater to varying service requirements.
- **Reduce costs:** The shift from dedicated hardware appliances to virtualized functions on standard servers significantly reduces capital and operational expenses. Standard servers are typically more cost-effective and easier to upgrade, making NFV an economically attractive approach.

Working Mechanism of NFV - The working mechanism of NFV revolves around separating network functions from dedicated hardware devices and implementing them as software applications that run on commercial off-the-shelf (COTS) servers.

- **Virtualization of Network Functions:** NFV takes network functions that typically run on dedicated hardware (like firewalls, load balancers, routers, etc.) and turns them into software applications called Virtualized Network Functions (VNFs).
- **Instantiation on Standard Servers:** The VNFs are then deployed on standard high-volume servers, storage, and switches. These servers can be located in data centers, network nodes, or end-user premises, providing a significant level of deployment flexibility.

- **Management and Orchestration:** The deployment and operation of VNFs are managed and orchestrated by specific NFV Management and Orchestration (MANO) systems. The NFV MANO system handles the lifecycle management of VNFs and controls the allocation of necessary infrastructure resources.
- **Service Chaining:** NFV also facilitates 'service chaining,' where multiple network services are connected through a network function forwarding graph. This chaining allows the creation of complex composite network services to handle particular network traffic flows.

In essence, NFV morphs rigid, singularly purposed, hardware-based network components into flexible, scalable, and manageable software applications, making network services more adaptive to the demands of the modern digital era [4]. For instance, if network traffic surpasses the load capacity of a virtual firewall, a new virtual firewall can be instantiated, and a load balancer placed before the firewalls to distribute the traffic, ensuring continuous and efficient network service. Moreover, since NFV uses standard server platforms, it fosters a rich ecosystem of VNF vendors, promoting competition, and innovation, and accelerating the rollout of new network services. While NFV offers significant benefits, it also introduces new challenges, such as ensuring efficient resource management, maintaining equivalent performance when compared to dedicated hardware functions, and safeguarding the system against new security risks associated with the virtualization of essential network functions. Addressing these challenges is integral to the successful implementation and operation of NFV in modern network systems.

### III. CHALLENGES AND CONSTRAINTS IN THE IMPLEMENTATION OF NETWORK SLICING

While network slicing is a potent tool for optimizing the operations of 5G networks, it also poses new challenges related to network management, security, interoperability, and performance. Drawing insights from multiple industry studies and practical concerns, we take an in-depth look into some of these salient challenges and constraints:

- **Management of Network Slices:** Network slicing enables the creation of numerous slices, each tailored to specific services. However, managing an increasing number of network slices can become a tiresome task. It requires intelligent orchestration mechanisms to monitor, schedule, and control the operations of multitude slices simultaneously while ensuring optimal resource allocation.
- **Security Concerns:** Security risk increases with network slicing since malevolent attacks or failures could spread across slices if not properly isolated and guarded. Each slice requires strong isolation mechanisms to prevent such incidences, demanding robust security measures for each slice and the system as a whole.
- **Inter-Slice Performance Interaction:** Network Slices share the same physical network infrastructure, and hence, the performance of one slice could potentially affect others. For instance, an excessively loaded slice could seize resources that might impact the performance of other slices. It's crucial to ensure that Quality of Service requirements are met for each slice, maintaining balance and preventing any adverse inter-slice interactions.
- **Interoperability Issues:** Network slicing implies a multi-supplier scenario, where various slices might run software from different vendors. Ensuring each slice operates seamlessly and interoperates with network procedures and different vendor solutions is a significant challenge requiring standardization efforts.
- **Lifecycle Management:** Effective lifecycle management of network slices is required to ensure optimal usage of network resources. This includes the automated creation, deployment, scaling, and termination of slices based on the current network demand.

In essence, the onus of successfully deploying network slicing in 5G networks includes not only understanding the operating dynamics of this approach but also addressing these overarching challenges [6]. The solutions must be geared towards creating a robust, scalable, and secure ecosystem that leverages the full potential of network slicing without compromising the core performance and reliability of the 5G network.

### IV. EXISTING SOLUTIONS AND IMPLEMENTATION APPROACHES

The challenges associated with the implementation of network slicing in a 5G network environment have given rise to innovative strategies and methodologies that aim to address them. Here, we delve into some of these existing approaches and critically evaluate their effectiveness and scope for improvement.

#### A. SDN and NFV-based Network Slicing

One of the primary solutions for implementing Network Slicing is leveraging SDN and NFV technologies, which serve as the foundational pillars. Employing SDN enables network administrators to programmatically initialize, control, manage, and optimize network resources rapidly and dynamically. Simultaneously, NFV decouples the network functions from proprietary hardware appliances, allowing them to run in software. Together, SDN and NFV can help create network slices virtually, manage them effectively, and ensure the isolation of each slice. However, while this approach provides a higher degree of flexibility and dynamicity, it still presents challenges concerning seamless integration and may require specific configurations to ensure the efficiency of different slices.

AI/ML-based Management of Network Slicing with the complexity and dynamism of 5G networks and the added layer of network slicing, traditional network management methods can potentially fall short. To this end, researchers and industry experts have started exploring the application of Artificial Intelligence (AI) and Machine Learning (ML) techniques to enrich the management of network slices.

#### B. AI/ML can bring several benefits to network slicing management:

- **Predictive Analysis:** AI/ML can be applied to historical data to identify patterns and predict future network requirements. This allows for better forecasting of resource needs, ensuring optimal usage and proactive prevention of resource exhaustion.

- **Anomaly Detection:** Machine learning algorithms can become proficient at detecting anomalies within a network slice. Anomalies can point to cyber-attacks, failures, or malfunctions, and early detection can significantly reduce their potential impact.
- **Automated Slice Management:** AI/ML algorithms can automate the life-cycle management of network slices. They can help orchestrate the creation, deployment, scaling, and termination of slices based on real-time demand, optimizing resource usage and improving service quality.
- **Dynamic Resource Allocation:** With the ability to react to real-time changes in network conditions, AI/ML-driven management can dynamically allocate resources to where they are most needed, maintaining a high quality of service across all network slices.

Despite the many potential benefits, the adoption of AI/ML in network slicing management may also present challenges. For instance, the accuracy and effectiveness of AI/ML-driven approaches hinge on the quality and quantity of the available data. Therefore, the implementation of AI/ML in this context calls for comprehensive, clean, and relevant data sets. Another crucial consideration is the computational demands of advanced AI/ML models, which could offset the benefits of their application without proper computation management. Lastly, the use of AI/ML techniques underscores the importance of robust security measures, guarding against the potential vulnerabilities that these technologies may introduce into the network slicing ecosystem.

### C. Multi-Domain Orchestration

Multi-domain orchestration is another proposed methodology for tackling the challenges of network slicing. This approach uses orchestrated connectivity services in multiple domains to guarantee end-to-end performance. Multi-domain orchestration essentially extends orchestration capabilities across diverse network domains, whether they be different geographies, various vendors, or different types of networks (like wireline and wireless). By coordinating resources and services across these multiple domains, such an approach ensures an end-to-end network slicing experience that is coherent and optimized across the entire network landscape. However, the complexity of managing resources across multiple domains could pose significant challenges.

### D. Slice as a Service (SlaaS)

An alternative method that is currently gaining prominence is offering network slicing as a service or SlaaS. In this model, network operators create and manage network slices, leasing them to service providers. While SlaaS shows promising potential in terms of ease of implementation and commercial viability, it does come with its own set of challenges concerning the feasibility of stringent SLAs, security implications, and business aspects. Each of these methodologies provides a unique take on tackling the challenges and constraints associated with implementing network slicing in 5G networks. However, each comes with its own set of trade-offs, and improvement is necessary to enhance their efficiency, security, and interoperability. As the realm of 5G networks and network slicing continues to evolve, it is crucial to continue to explore, innovate, and refine these and other potential solutions tailored specifically to meet the needs of individual systems.

## V. CASE STUDY: ERICSSON, TIM, AND COMAU'S 5G NETWORK SLICING EXPERIMENT (JUNE 2022)

In June 2022, a unique experiment was conducted at Comau's headquarters in Turin, Italy, showcasing the potential of 5G network slicing in an industrial scenario [7]. This pioneering effort involved a collaborative venture between Ericsson, TIM (Telecom Italia), and Comau, wherein they trialed three distinct applications within their futuristic 'industrial environment.' The initial application leveraged the low latency attribute of 5G to establish a real-time connection between a physical robot and its digital duplicate. This synchronization enabled an in-depth examination of production processes that could later yield valuable insights for streamlining and optimization. In the second application, a multitude of sensors were employed to facilitate real-time asset monitoring. The data garnered from these sensors was centralized into a solitary application responsible for delivering insights for predictive maintenance, process management, and quality control, thereby enhancing the overall operational efficiency. The third application explored the application of Augmented Reality (AR) and digital tutorials to provide superior support to on-site staff [7]. Leveraging the high bandwidth offered by 5G, this application allowed the remote connection of on-site staff with experts for video transmission. This facilitated more effective problem resolution, contributing to reduced downtime and enhanced productivity. This experimental setup demonstrates the impressive potential of network slicing in an industrial context, revitalizing conventional processes through heightened connectivity, efficient problem resolution, and real-time optimization. As 5G continues to evolve, similar applications of network slicing across various sectors will inevitably multiply.

## VI. CASE STUDY: NOKIA AND GOOGLE'S NETWORK SLICING EXPERIMENT (AUGUST 2022)

In August 2022, Nokia, in collaboration with Google, executed a successful trial of network slice selection functionality on 4G/5G networks. The trial took place at Nokia's network slicing development center in Tampere, Finland, and used Google Pixel 6 smartphones operating on Android 13. The trial applied the UE Route Selection Policy (URSP) technology, which provided an insightful peek into the future potentials of network slicing [8]. The fundamental accomplishment of the trial was its ability to demonstrate how a smartphone could simultaneously connect to multiple network slices. This was achieved through a variety of enterprise and consumer applications each demanding unique subscriber requirements. URSP technology played a crucial role in tailoring network slices basis certain parameters which included network performance, traffic routing, and aspects of security. The experiment was conducted using Nokia's comprehensive 4G/5G network slicing product portfolio traversing RAN-transport-core, bringing the inter-functionality of LTE-5G New Radio slice into the fray [8].

This result is anticipated to broaden the opportunities for operators to offer enhanced 5G network slicing services to Android 13 users. The success of this joint trial by Google and Nokia illuminates the immense potential of network slicing technology adoption in smartphone devices. Simultaneously, it further solidifies the case for service-specific network customization and end-user driven network functionality to enhance application experiences on future 5G networks.

## VII. FUTURE OUTLOOK AND CONCLUSION

As we usher in the era of 5G networks, the role of network slicing in this landscape cannot be overstated. Embracing the complexity of 5G networks, network slicing offers a path to effectively manage and optimize the wide array of offered services and their varied requirements [5]. However, the evolution of network slicing is a journey that is just beginning. Future developments of network slicing are poised towards fostering an environment that is more adaptive, secure, and efficient. We could see further refinements in the management and orchestration of slices by leveraging advances in AI and ML to automate much of the resource allocation and problem detection processes [5]. There is also ongoing work in creating a more standardized approach to network slicing, ensuring seamless interoperability across different service suppliers. Directing our attention to security aspects, there's also an anticipative push towards developing more robust isolation and defense mechanisms to guard each network slice and the network system as a whole. Considering the transformative shift to an environment where network slices will encapsulate services with varying security requirements, this is paramount. The inevitable integration of network slicing with other burgeoning technologies is another promising forefront. For instance, edge computing, which is swiftly gaining adoption in many modern networks, could be effectively coupled with network slicing [5]. The combination of these technologies could enable network systems to dispatch workloads to the 'edge' of their networks, further improving service delivery latency and reliability. Therefore, the future of network slicing looks distinctly bright with immense potential to revolutionize the way services and resources are handled within 5G networks and beyond. By enabling a custom-tailored approach to network management, network slicing is helping shape a future where services receive precisely the networking resources they need, combining efficiency and performance seamlessly. In conclusion, the advent of network slicing in 5G networks sets a new paradigm of service delivery and resource utilization. While challenges linger, the continuous evolution and relentless innovations appear capable of overcoming them, steering us towards an era of networking that encapsulates versatility, reliability, and uncompromised efficiency [5]. Indeed, network slicing is making the envisioned future of 5G a tangible reality, and we can look forward to the fascinating advances it is set to usher in.

## Acknowledgment

The author would like to extend sincere thanks to New York University for graciously providing the resources to conduct the research.

## REFERENCES

- [1] Roddy, M., Truong, T., Walsh, P., Al Bado, M., Wu, Y., Healy, M. and Ahearne, S., 2019, September. 5G Network Slicing for Mission-critical use cases. In 2019 IEEE 2nd 5G World Forum (5GWF) (pp. 409-414). IEEE.
- [2] Zhang, S., 2019. An overview of network slicing for 5G. *IEEE Wireless Communications*, 26(3), pp.111-117.
- [3] Alliance, N.G.M.N., 2016. Description of network slicing concept. *NGMN 5G P*, 1(1), pp.1-11.
- [4] Ordóñez-Lucena, J., Ameigeiras, P., Lopez, D., Ramos-Munoz, J.J., Lorca, J. and Figueira, J., 2017. Network slicing for 5G with SDN/NFV: Concepts, architectures, and challenges. *IEEE Communications Magazine*, 55(5), pp.80-87.
- [5] Khan, L.U., Yaqoob, I., Tran, N.H., Han, Z. and Hong, C.S., 2020. Network slicing: Recent advances, taxonomy, requirements, and open research challenges. *IEEE Access*, 8, pp.36009-36028.
- [6] Zhang, H., Liu, N., Chu, X., Long, K., Aghvami, A.H. and Leung, V.C., 2017. Network slicing based 5G and future mobile networks: Mobility, resource management, and challenges. *IEEE communications magazine*, 55(8), pp.138-145.
- [7] Kazmi, S.A., Khan, L.U., Tran, N.H. and Hong, C.S., 2019. *Network slicing for 5G and beyond networks (Vol. 1)*. Berlin: Springer.
- [8] Pozza, M., Nicholson, P.K., Lugones, D.F., Rao, A., Flinck, H. and Tarkoma, S., 2020. On reconfiguring 5G network slices. *IEEE Journal on Selected Areas in Communications*, 38(7), pp.1542-1554.