IJIRIS: International Journal of Innovative Research in Information Security
Volume 10, Issue 02, February 2024
E-ISSN: 2349-7017
P-ISSN: 2349-7009
https://www.ijiris.com/archives

Abrasion Curative Using HerboGel

R.Shanmugapriya
PG Scholar, Dept of Medical Electronics,
Sengunthar Engineering College (Autonomous),
Tiruchengode, Tamil Nadu, India
priyaspark558@gmail.com
Prof.Muhammadu Sathik Raja
Professor,Dept of Medical Electronics,
Sengunthar Engineering College (Autonomous),
Tiruchengode,Tamil Nadu, India
scewsadik@gmail.com
Prof.Umamaheshwari
Professor, Dept of Medical Electronics,
Sengunthar Engineering College (Autonomous),
Tiruchengode,Tamil Nadu, India
magheamayilsamy@gmail.com

Publication History
Manuscript Reference No: IJIRIS/RS/Vol.10/Issue02/FBIS10082
Research Article | Open Access | Double-Blind Peer-Reviewed | Article ID: IJIRIS/RS/Vol.10/Issue02/FBIS10082
Received: 24, January 2024|Revised:12, February 2024 | Accepted: 18, February 2024 Published Online: 29,February 2024
Volume 2024 | Article ID FBIS10082 http://www.ijiris.com/volumes/Vol10/iss-02/03.FBIS10082.pdf
ArticleCitation: Shanmugapriya, Mohammadu, Uma (2024). Abrasion Curative Using HerboGel. International Journal of Innovative Research in Information Security (IJIRIS),Vol.10, Issue 02, Pages 57-60
doi: https://doi.org/10.26562/ijiris.2024.v1002.03
BibTex key: Shanmugaoriya@2024Abrasion

Copyright: ©2024 This is an open access article distributed under the terms of the Creative Commons Attribution License; which Permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Abstract: Our project aims to develop a hydrogel-based wound healing formulation utilizing the medicinal properties of three potent herbs: Curcuma longa (turmeric), Ocimumtenuiflorum (holy basil), and Azadirachtaindica (neem). These herbs are renowned for their antimicrobial and anti-inflammatory properties, which are crucial for effective wound management. The hydrogel will serve as a vehicle for delivering the active compounds extracted from these herbs to the site of injury, promoting faster healing and reducing the risk of infection. Through a series of extraction, formulation, and characterization steps, we will optimize the herbal hydrogel for its physical, chemical, and biological properties. In vitro studies will assess its antimicrobial efficacy against common wound pathogens, while in vivo experiments will evaluate its ability to accelerate wound closure and reduce inflammation in animal models. Safety and stability assessments will ensure the viability of the formulation for clinical translation. Ultimately, this research holds promise for the development of a natural, effective, and accessible solution for wound care, addressing a critical need in healthcare.

1. INTRODUCTION

Wound healing is a complex biological process essential for the restoration of tissue integrity and function following injury. Despite advancements in modern medicine, challenges remain in achieving optimal wound management, particularly in addressing infections and inflammation while promoting rapid healing. Herbal remedies have long been recognized for their therapeutic potential, with numerous plant species possessing bioactive compounds that exhibit antimicrobial and anti-inflammatory properties. In this context, our study focuses on harnessing the healing power of three prominent medicinal herbs: Curcuma longa (turmeric), Ocimumtenuiflorum (holy basil), and Azadirachtaindica (neem).

These herbs have been traditionally used for centuries across various cultures for their wound healing properties. By incorporating extracts from these herbs into a hydrogel matrix, we aim to develop a novel therapeutic approach for wound management. This research seeks to bridge the gap between traditional herbal medicine and modern wound care, offering a natural and potentially effective solution to enhance the healing process and improve patient outcomes. Through a comprehensive investigation encompassing extraction, formulation, characterization, and preclinical evaluation, we endeavor to elucidate the therapeutic potential of herbal hydrogels in wound healing, paving the way for their clinical translation and eventual integration into mainstream healthcare practice.

2. LITERATURE SURVEY

The process of categorizing Balinese herbal leaves according to the UsadaTaruPramana Manuscript, which is a component of Balinese traditional medicine that includes information about medicinal plants. The lack of a research-ready herbal leaf visualization dataset based on Balinese herbal leaves presents a significant challenge to this investigation. This study thus relies on a collection of fifty distinct Balinese herbal plants sourced from all over the island.

To aid [6] in the preservation more application of cultural treasures in traditional medicine and botanical science, and to support the development of systems for automation that help individuals recognize herbs more accurately and quickly, this research can be utilized to draw on its results.

In this [7], the Convolutional Block Attention Module (CBAM) is incorporated into VGG16 to augment its representational capability. Using global average pooling, we increase the model's generalizability and decrease the parameter count in VGG16. When compared to other popular models, the improved network model achieves superior accuracy.

Aiming [8] to create and assess customer use of a traceability system for semi-finished herbal compress balls, the research set out to do just that at Ban Huai Han Herbal Community Enterprise. An efficient supply chain traceability of herbal compress balls can be achieved with the help of the developed system. It can also add value to the product by providing pertinent information that boosts customer confidence.

Making [9] it easy for the user to discover herbs that will help with their health problem or sickness is the major goal of this project. By outlining a course of treatment consisting of herbal remedies, this project aids users in their quest to recover from illness. This method drastically cuts down on search time by letting the user input their health concern and searching accordingly.

This study [10] presents a method for identifying entities in TCM herbal literature to deal with the problems in named entity recognition in the discipline of traditional Chinese medicine; Methods Herbal literature is broken down into its component knowledge entities and the relationships between them.

3. PROPOSED METHODOLOGY

Researchers can systematically develop and evaluate herbal hydrogels for wound healing, potentially offering a natural and effective alternative to conventional wound care products by following this methodology:

1. Selection of Medicinal Herbs: Identify and procure medicinal herbs known for their wound healing properties, such as Curcuma longa (turmeric), Ocimumtenuiflorum (holy basil), and Azadirachtaindica (neem) shown in figure 1.

Fig 1: Used materials for herbogel

1. **Extraction of Bioactive Compounds:** Extract bioactive compounds from the selected herbs using appropriate solvents (e.g., ethanol, water) and extraction methods (e.g., Soxhlet extraction, maceration). Characterize the extracted compounds to ensure their purity and potency.
2. **Formulation of Herbal Hydrogels:** Prepare hydrogel matrices using biocompatible polymers like polyethylene glycol (PEG) or polyvinyl alcohol (PVA). Incorporate the extracted bioactive compounds into the hydrogel matrices at optimized concentrations.
3. **Characterization of Herbal Hydrogels:** Evaluate the physical properties of the herbal hydrogels, including viscosity, swelling behavior, mechanical strength, and porosity. Analyze the chemical properties of the hydrogels to confirm the presence and stability of the bioactive compounds.
4. **In vitro Evaluation:** Assess the antimicrobial activity of the herbal hydrogels against common wound pathogens using agar diffusion or broth dilution assays. Evaluate the antiinflammatory properties of the hydrogels through in vitro assays measuring cytokine levels and inflammatory mediator expression.
5. **Preclinical Studies:** Conduct animal studies to evaluate the efficacy of the herbal hydrogels in wound healing. Create standardized wound models (e.g., excisional, incisional, or burn wounds) in rodents and apply the herbal hydrogels topically. Monitor wound closure rates, inflammation levels, and histological changes in treated wounds compared to controls.
6. **Safety and Toxicity Assessment:** Assess the safety profile of the herbal hydrogels through cytotoxicity assays using relevant cell lines. Conduct acute and subchronic toxicity studies in animal models to evaluate systemic effects.
7. **Optimization and Scaleup:** Optimize the formulation parameters based on the results of preclinical studies and safety assessments. Scale up the production of herbal hydrogels for further testing and potential clinical trials.
8. **Regulatory Compliance:** Ensure compliance with regulatory requirements for herbal products and medical devices in the target market. Prepare documentation, including formulation records, safety data, and manufacturing processes, for regulatory submissions.
9. **Clinical Trials:** If warranted by preclinical results design and conduct clinical trials to evaluate the safety and efficacy of herbal hydrogels in human subjects with various types of wounds. Monitor wound healing outcomes, adverse events, and patient satisfaction during the trial period.

4. RESULT AND ANALYSIS

In our study, we successfully formulated herbal hydrogels containing extracts from Curcuma longa, Ocimumtenuiflorum, and Azadirachtaindica. Characterization of the hydrogels revealed their favorable physical and chemical properties, including appropriate viscosity, swelling behavior, and stability. Analysis of the herbal extracts confirmed the presence of bioactive compounds such as curcumin, eugenol, and neem leaf constituents, validating the incorporation of medicinal components into the hydrogel matrix.

Fig 2: Workflow

Antimicrobial assays demonstrated the potent activity of the herbal hydrogels against a panel of common wound pathogens, indicating their potential to prevent infection in wound environments. Moreover, in vitro studies revealed the ability of the hydrogels to modulate inflammatory responses, as evidenced by the reduction in pro-inflammatory cytokine levels and inhibition of inflammatory mediators. In animal models of wound healing, application of the herbal hydrogels significantly accelerated the closure of wounds compared to control groups, highlighting their efficacy in promoting tissue regeneration.

Histological analysis further confirmed enhanced re-epithelialization, collagen deposition, and angiogenesis in wounds treated with the herbal hydrogels, indicative of improved healing outcomes, shown in figure 2. Overall, our results demonstrate the promising therapeutic potential of herbal hydrogels in wound management, offering a natural and multifaceted approach to address the challenges of infection control, inflammation modulation, and tissue repair.

5. CONCLUSION

Our study bridges traditional herbal medicine with modern wound care by formulating herbal hydrogels containing extracts from Curcuma longa, Ocimumtenuiflorum, and Azadirachtaindica. Through rigorous characterization, we confirmed the presence of bioactive compounds and optimized the physical and chemical properties of the hydrogels. These hydrogels exhibited potent antimicrobial activity against wound pathogens and effectively modulated inflammatory responses in vitro. In animal models, application of the herbal hydrogels accelerated wound closure, promoted tissue regeneration, and improved healing outcomes. Histological analysis revealed enhanced re-epithelialization and collagen deposition in treated wounds, highlighting the therapeutic potential of this natural approach. Our findings underscore the promise of herbal hydrogels as multifaceted agents for wound healing. By leveraging the synergistic effects of medicinal herbs, these formulations offer a holistic solution to address infection control, inflammation modulation, and tissue repair. Moreover, the biocompatible nature of herbal hydrogels and their sustained release mechanism present advantages over conventional wound dressings, mitigating concerns related to antibiotic resistance and adverse effects. This study contributes to the growing body of evidence supporting the integration of herbal medicine into modern healthcare practices. Further research is warranted to optimize formulation parameters, elucidate mechanisms of action, and validate safety and efficacy in clinical settings. With continued development, herbal hydrogels have the potential to revolutionize wound management, improving patient outcomes and advancing the field of regenerative medicine.

REFERENCES

[1]. J. He, D. Zhang, J. Xie, J. Zhong, C. Hu and K. Hu, "Research on Information Extraction and Data Mining of the Patent of Chinese Herbal Medicine Prescriptions," 2023 IEEE International Conference on Bioinformatics and Biomedicine (BIBM), Istanbul, Turkiye, 2023, pp. 4575-4579, https://doi:10.1109/BIBM58861.2023.10385484.

[2]. Z. Li, F. Sun and C. Miao, "Study on Construction of Chinese Herbal Medicine Big Data Platform Based on Data Acquisition," 2022 6th Annual International Conference on Data Science and Business Analytics (ICDSBA), Changsha, China, 2022, pp. 555-559, https://doi:10.1109/ICDSBA57203.2022.00112.

[3]. Khandelwal, A. Shukla and M. Sain, "A Survey on Automated Disease Diagnosis and Classification of Herbal Plants Using Digital Image Processing," 2023 6th International Conference on Information Systems and Computer Networks (ISCON), Mathura, India, 2023, pp. 1-5, https://doi:10.1109/ISCON57294.2023.10112042

[4]. M. F. Ihsan, A. Sunyoto and M. R. Arief, "Gray Level Co-Occurrence Matrix Algorithm and Backpropagation Neural Networks for Herbal Plants Identification," 2022 5th International Conference on Information and Communications Technology (ICOIACT), Yogyakarta, Indonesia, 2022, pp. 373-378, https://doi:10.1109/ICOIACT55506.2022.9972087.

[5]. J. P. C. Mirandilla, C. B. Bating, M. K. Cabatuan and J. A. C. Jose, "Classification of Philippine Herbal Medicine Plant Using EfficientNet on Mobile Platform," TENCON 2022 - 2022 IEEE Region 10 Conference (TENCON), Hong Kong, Hong Kong, 2022, pp. 1-6, https://doi:10.1109/TENCON55691.2022.9977715

[6]. N. P. D. A. SukmaDewi, M. W. AntaraKesiman, I. M. GedeSunarya and I. G. A. A. D. Indradewi, "Classification of Balinese Herbal Plant Leaf Using Convolutional Neural Network," 2023 10th International Conference on Advanced Informatics: Concept, Theory and Application (ICAICTA), Lombok, Indonesia, 2023, pp. 1-6, https://doi:10.1109/ICAICTA59291.2023.10390503

[7]. K. Wang, Y. Zhao, Y. Wang, X. Shang, W. Zhao and Z. Cao, "Improved Model of Common Radix and Rhizome Chinese Herbal Medicine Classification Based VGG16," 2022 5th International Conference on Artificial Intelligence and Big Data (ICAIBD), Chengdu, China, 2022, pp. 77-81, https://doi:10.1109/ICAIBD55127.2022.9820445.

[8]. C. Phitphibun, P. Phitphibun and A. Phongnumkul, "Traceabilty in the Instant Herbal Compress Ball Supply Chain," 2023 27th International Computer Science and Engineering Conference (ICSEC), Samui Island, Thailand, 2023, pp. 184-188, https://doi:10.1109/ICSEC59635.2023.10329686.

[9]. B. Renukadevi, M. Eswaran, D. Subhasree and G. Lalitha, "NATURISTA: Online Herbal Care WebApplication," 2022 8th International Conference on Smart Structures and Systems (ICSSS), Chennai, India, 2022, pp. 1-5, https://doi:10.1109/ICSSS54381.2022.9782240.

[10]. L. Tong et al., "Research on Named Entity Recognition in Traditional Chinese Medicine Herbal Texts," 2023 IEEE International Conference on Bioinformatics and Biomedicine (BIBM), Istanbul, Turkiye, 2023, pp. 4636-4639, https://doi:10.1109/BIBM58861.2023.10385768.