IJIRIS: International Journal of Innovative Research in Information Security
Volume 10, Issue 02, February 2024
E-ISSN: 2349-7017
P-ISSN: 2349-7009
https://www.ijiris.com/archives

IoT Based Air Quality Monitoring and Controlling System for Hospital

S.Gowtham,
PG Scholar, Dept of Medical Electronics,
Sengunthar Engineering College (Autonomous),
Tiruchengode, Tamil Nadu, INDIA
sjvgowtham@gmail.com
Dr.R.SatishKumar,
Professor, Dept of Medical Electronics,
Sengunthar Engineering College (Autonomous),
Tiruchengode, Tamil Nadu, INDIA
harsiga@gmail.com
Prof. Muhammadu Sathik Raja,
Professor, Dept of Medical Electronics,
Sengunthar Engineering College (Autonomous),
Tiruchengode. Tamil Nadu, INDIA
scewsadik@gmail.com

Publication History
Manuscript Reference No: IJIRIS/RS/Vol.10/Issue02/FBIS10086
Research Article | Open Access | Double-Blind Peer-Reviewed | Article ID: IJIRIS/RS/Vol.10/Issue02/FBIS10086
Received: 24, January 2024|Revised:12, February 2024 | Accepted: 18, February 2024 Published Online: 29,February 2024
Volume 2024 | Article ID FBIS10086 http://www.ijiris.com/volumes/Vol10/iss-02/07.FBIS10086.pdf
Article Citation: Gowtham,Sathish,Muhammadu(2024). IoT Based Air Quality Monitoring and Controlling System for Hospital. International Journal of Innovative Research in Information Security (IJIRIS), Volume 10, Issue 02, Pages 73-76
doi: https://doi.org/10.26562/ijiris.2024.v1002.07
BibTex key: Gowtham@2024IoT

Copyright: ©2024 This is an open access article distributed under the terms of the Creative Commons Attribution License; which Permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Abstract: This project introduces an IoT based Air Quality Monitoring and Controlling System tailored for hospital environments. Utilizing a variety of sensors, including those for particulate matter, carbon dioxide, and volatile organic compounds, the system ensures continuous real-time monitoring of indoor air quality. NodeMCU facilitates wireless communication, enabling the transmission of data to a central server or cloud platform. Hospital staff can remotely monitor air quality conditions, receiving threshold alerts in the event of pollutant levels surpassing predefined limits. The system integrates a controlling mechanism, allowing for the activation of ventilation systems or air purifiers based on the collected data. Energy efficiency is prioritized through intelligent control of air quality devices. Historical data analysis enables administrators to identify patterns and improve overall air quality management. The system seamlessly integrates with existing hospital infrastructure and is designed for scalability, ensuring adaptability to evolving needs. Overall, this IoT-based solution offers a smart and automated approach to maintaining a healthy indoor environment in hospital settings.

Keywords: IoT (Internet of Things), Air Quality Monitoring, Hospital Environment, Smart Healthcare, Intelligent Sensing, Cloud Integration.

I. INTRODUCTION

Air quality monitoring and control systems play a crucial role in maintaining a healthy environment, particularly in sensitive settings like hospitals. The integration of Internet of Things (IoT) technology, specifically NodeMCU, offers an innovative solution to continuously monitor and manage air quality parameters.

Fig. 1 IOMT (Internet of Medical Things) Types

By incorporating sensors for particulate matter, carbon dioxide, temperature, and humidity, the system ensures a comprehensive understanding of the hospital's indoor air conditions. The NodeMCU serves as the central control unit, collecting real-time data and transmitting it to a cloud platform. This cloud integration facilitates remote monitoring and provides a foundation for data visualization. The inclusion of a relay module enables the system to actively control ventilation or air purification systems based on predefined thresholds. As hospitals require a sterile and safe environment, this IoT-based solution becomes indispensable in promptly addressing air quality concerns. Through seamless connectivity, data analytics, and automated control mechanisms, this system not only enhances patient well-being but also contributes to infection control and overall healthcare quality. The implementation of such a sophisticated system underscores the intersection of healthcare, technology, and environmental science, marking a significant step toward creating safer and more efficient medical facilities. Figure 1 shows the visual representation categorizing different types of Internets of Medical Things, showcasing the diverse applications and devices used in healthcare, such as wearables, medical sensors, remote monitoring devices, and smart healthcare systems.

2. LITERATURE SURVEY

Globally, there is a growing number of ambient air quality monitoring stations, driven by the imperative to assess potential health risks associated with urban air pollution. Achieving reliable and interoperable air quality monitoring poses challenges due to measurement limitations and the complexity of physical phenomena. Data assimilation methods are commonly employed to address missing or faulty observations, enhancing data quality by integrating fixed air quality monitoring ground stations with large-scale numerical models. An additional benefit of data assimilation is the potential to reduce costs by leveraging existing open government data. A critical requirement for assimilation is the availability of uncertainty estimates for both measurements and model data, which is often a bottleneck when utilizing open data. This work tackles challenges like imputing missing data and processing observations and model simulation results across different temporal and spatial scales. To address these challenges, [6] has developed innovative, lightweight data assimilation algorithms based on recursive least-squares. These algorithms offer a fully data-driven approach to estimate uncertainties by defining input data weights through least-squares data assimilation. Meanwhile, [7] explores interventions in the form of clean air zones and employs a machine learning approach to assess policy objectives. The paper addresses the validation challenge by comparing NO2 concentrations in zones with and without intervention, utilizing a recurrent neural network with a root mean square error of 0.95 for NO2 concentration prediction.

In addressing the issues at hand, [8] introduces a novel coupled air quality optimization prediction model using Variational Mode Decomposition (VMD), the Informer time series algorithm, Extreme Gradient Boosting (XGBoost), and the Dung Beetle Optimization Algorithm (DBO). The coupling approach involves screening influential features, optimizing VMD with DBO, decomposing time series data, and classifying feature data based on approximate entropy. The Informer algorithm and DBO-optimized XGBoost process different feature data separately, then superimpose and reconstruct the predicted values for comprehensive results. Additionally, [9] presents a real-time, cost-effective indoor air quality monitoring system (IAQMS) based on LoRa and the Internet of Things (IoT). This system measures various indoor air quality parameters, including CO2, PM2.5, PM10, TVOC, HCHO, ambient temperature, and relative humidity. The paper provides detailed descriptions of the hardware architecture and software design of the indoor air quality detector (IAQD). Finally, [10] conducts a comparative analysis of various deep learning-based single-step forecasting models for predicting air pollutants. The study evaluates models such as long short-term memory (LSTM), gated recurrent unit (GRU), and a statistical model using a publicly available dataset from Northern Ireland. The deep learning model, particularly LSTM, demonstrates the highest score of 0.856 in the empirical evaluation.

3. PROPOSED METHODOLOGY

The development of an IoT-based Air Quality Monitoring and Controlling System for a hospital involves a systematic methodology encompassing hardware setup, firmware development, cloud integration, and control mechanisms. The proposed methodology is outlined below:

1. Define Requirements:

- Clearly define the air quality parameters to be monitored (e.g., PM levels, CO2 concentration, temperature, humidity) and establish acceptable thresholds.

2. Select Components:

- Choose appropriate sensors for each parameter, ensuring compatibility with NodeMCU. Select a reliable relay module for controlling ventilation or air purification systems.

3. Hardware Setup:

- Connect the selected sensors and relay module to the NodeMCU following the specifications provided by the sensor and relay module manufacturers.

4. Power Supply:

- Ensure a stable power supply for both NodeMCU and sensors to guarantee uninterrupted operation.

5. Firmware Development:

- Write firmware code using Arduino IDE or PlatformIO, integrating sensor libraries for accurate data readings.
- Implement Wi-Fi connectivity for data transmission.
- Code the logic for data processing, formatting, and transmission to the chosen cloud platform.

IJIRIS © 2014-24, AM Publications -All Rights Reserved

6. Cloud Integration:

- Set up an account on the selected cloud platform (e.g., Blynk, ThingSpeak, or MQTT-based solutions).
- Obtain necessary credentials for secure communication between NodeMCU and the cloud.
- Integrate cloud platform libraries into the firmware code for data transmission.

7. Real-Time Monitoring Interface:

- Design and configure dashboards or interfaces on the cloud platform to visualize real-time air quality data.
- Include features for threshold alerts and historical data analysis.

8. Control Mechanism:

- Implement a control mechanism in the firmware code based on predefined air quality thresholds.
- Program the NodeMCU to activate the relay module when air quality parameters exceed set limits.

9. Testing:

- Conduct thorough testing in a controlled environment to validate sensor accuracy, data transmission, and control mechanisms.
- Address any issues or fine-tune the system based on test results.

10. Deployment:

- Install the complete system in the hospital, strategically placing sensors for optimal data accuracy.
- Ensure proper connectivity and system functionality within the hospital's network.

11. Calibration and Maintenance:

- Establish a regular calibration schedule for sensors to maintain accurate readings.
- Implement a maintenance plan to address hardware issues and ensure continuous system reliability.

12. User Training:

- Provide training for hospital staff on interpreting the monitoring interface and understanding system alerts.
- Ensure that relevant personnel are familiar with the system's functionalities and troubleshooting procedures.

By following this methodology, the implementation of the IoT-based Air Quality Monitoring and Controlling System can be carried out efficiently, ensuring a reliable and effective solution for maintaining a healthy environment within the hospital premises. Fig 2. Air Quality Monitoring and Controlling System: A comprehensive solution integrating IoT technologies to monitor and regulate air quality in hospital environments. This system employs advanced sensors and real-time data analytics to ensure optimal air quality for the well-being of patients and staff.



Fig.2. Advanced Air Quality Supervision System

4. RESULT AND ANALYSIS

Upon deployment, the IoT-based Air Quality Monitoring and Controlling System demonstrated significant improvements in maintaining a healthy environment within the hospital. Real-time monitoring revealed precise measurements of particulate matter, carbon dioxide levels, temperature, and humidity. The cloud-based interface provided instant visibility into air quality parameters, facilitating proactive responses to deviations from acceptable thresholds. Control mechanisms were effective, triggering timely interventions through the relay module to optimize ventilation and air purification systems.

Data analysis over time identified patterns and trends in air quality, aiding in the formulation of preventive measures. The system's reliability was evident in consistent sensor accuracy during testing phases. Alerts generated by the system enabled swift corrective actions, contributing to enhanced patient well-being and infection control. Staff training on interpreting monitoring interfaces was instrumental in fostering a seamless integration of the system into daily hospital operations. The calibration schedule and maintenance plan ensured continued accuracy and functionality. Overall, the results underscore the efficacy of the IoT-based solution in revolutionizing air quality management within the hospital, marking a pivotal step towards creating a safer and healthier healthcare environment.

Fig. 3 illustrates the implementation of IoT-based air monitoring and control using the ESP8266 microcontroller. This system integrates sensors for monitoring air quality and actuators for efficient control, showcasing a comprehensive solution for environmental management.



Fig. 3: IoT Air Monitoring and Control Using ESP8266.

5. CONCLUSION

The implementation of the IoT-based Air Quality Monitoring and Controlling System in the hospital has proven to be a pivotal step towards ensuring a healthier indoor environment. The system's real-time monitoring capabilities, encompassing particulate matter, carbon dioxide, temperature, and humidity, provide essential insights. Through a cloud-based interface, hospital staff can promptly respond to deviations from acceptable air quality thresholds, fostering a proactive approach to environmental management. The integration of control mechanisms, facilitated by the relay module, enables dynamic adjustments to ventilation and air purification systems, ensuring optimal conditions for patient care. Data analysis highlights trends and patterns, guiding preventive measures and contributing to ongoing improvements. The system's reliability and accuracy, evident during testing, validate its effectiveness in addressing the unique challenges of healthcare environments. As a comprehensive solution, this IoT-based system enhances infection control and promotes patient well-being. Ongoing calibration and maintenance strategies reinforce the system's longevity and sustained performance. In conclusion, the deployment of this system reflects a commitment to creating safer, healthier hospital environments, aligning with the pursuit of quality healthcare and patient safety.

REFERENCES

[1]. S. Al-Eidi, F. Amsaad, O. Darwish, Y. Tashtoush, A. Alqahtani and N. Niveshitha, "Comparative Analysis Study for Air Quality Prediction in Smart Cities Using Regression Techniques," in IEEE Access, vol. 11, pp. 115140-115149, 2023, https://doi:10.1109/ACCESS.2023.3323447.
[2]. D. Iskandaryan, F. Ramos and S. Trilles, "Graph Neural Network for Air Quality Prediction: A Case Study in Madrid," in IEEE Access, vol. 11, pp. 2729-2742, 2023, https://doi:10.1109/ACCESS.2023.3234214.
[3]. Y. Cao, D. Zhang, S. Ding, W. Zhong and C. Yan, "A Hybrid Air Quality Prediction Model Based on Empirical Mode Decomposition," in Tsinghua Science and Technology, vol. 29, no. 1, pp. 99-111, February 2024, https://doi:10.26599/TST.2022.9010060.
[4]. N. Hossein Motlagh et al., "Unmanned Aerial Vehicles for Air Pollution Monitoring: A Survey," in IEEE Internet of Things Journal, vol. 10, no. 24, pp. 21687-21704, 15 Dec.15, 2023, https://doi:10.1109/JIOT.2023.3290508.
[5]. C. Liu, G. Pan, D. Song and H. Wei, "Air Quality Index Forecasting via Genetic Algorithm-Based Improved Extreme Learning Machine," in IEEE Access, vol. 11, pp. 67086-67097, 2023, https://doi:10.1109/ACCESS.2023.3291146.
[6]. L. Miasayedava, J. Kaugerand and J. A. Tuhtan, "Lightweight Open Data Assimilation of Pan-European Urban Air Quality," in IEEE Access, vol. 11, pp. 84670-84688, 2023, https://doi:10.1109/ACCESS.2023.3302348.
[7]. F. Farhadi, R. Palacin and P. Blythe, "Machine Learning for Transport Policy Interventions on Air Quality," in IEEE Access, vol. 11, pp. 43759-43777, 2023, https://doi:10.1109/ACCESS.2023.3272662.
[8]. Q. Shao, J. Chen and T. Jiang, "A Novel Coupled Optimization Prediction Model for Air Quality," in IEEE Access, vol. 11, pp. 69667-69685, 2023, https://doi:10.1109/ACCESS.2023.3293249.
[9]. L. Pang, C. Luo and W. Pan, "Research on the Impact of Indoor Control Quality Monitoring Based on Internet of Things," in IEEE Access, vol. 11, pp. 139614-139627, 2023, https://doi:10.1109/ACCESS.2023.3336706.
[10]. F. Naz et al., "Comparative Analysis of Deep Learning and Statistical Models for Air Pollutants Prediction in Urban Areas," in IEEE Access, vol. 11, pp. 64016-64025, 2023, https://doi:10.1109/ACCESS.2023.3289153.